



Wide Screen Multimedia Projector

DW886

SKU: 63232 UPC: 813097022486

The DW886 combines the best in performance, versatility and value. This wide-screen projector delivers a high brightness of 3,800 lumens and an outstanding contrast ratio of 15,000:1. Plus it offers a low cost of operation, with lamp life up to 7,000 hours, and enhanced environmentally friendly power functions that increase lamp life, save power and lower energy consumption.

Features

- 3,800 ANSI lumens of brightness with a 15,000 contrast ratio
- Energy efficient lamps that last up to 7,000 hours (in dynamic eco mode)
- 6 Segment (RYGCWB) color wheel for accurate and detailed images
- Sealed optical engine, minimizing the impact of dust and smoke
- Quick auto search filtering to quickly locate input signal source
- Variety of display connectivity options including: HDMI x3, VGA-In, VGA-Out, S-Video and Composite Video
- User memory settings for such functions as display mode, 3D and resolution
- 3D compatibility with DLP® Link™ and HDMI 1.4b Blu-Ray support for dazzling and realistic life-like images
- Compatible with long VGA cables for a maximum length up to 20 meters
- Enhanced environmentally friendly power functions (Eco mode, Auto power off, stand-by mode) to increase lamp life, power savings and energy consumption
- Integrated network monitoring and management solutions (product certified) including Crestron® RoomView™, Extron, AMX SSDP and Telnet
- Top-loading, sliding cover for quick and easy lamp replacement
- Anti-theft security features include: Kensington® security slot, security bar, and PIN lock keypad

Brightness	3800 Lumens
Native Resolution	WXGA (1280 x 800), 16:10 format
Max. Resolution	WUXGA (1920 x 1200)
Contrast Ratio	15,000:1 Contrast Ratio (Full on/off)
Lamp Life and Type	3500/5000/7000 Hours (Normal/Eco/Dynamic Eco Mode), 240W
Lamp Part #	5811119560-SVV
Display Type	Single 0.65" DLP® Technology by Texas Instruments
Throw Ratio (±3%)	1.28 to 1.536 (Distance/Width)
Image Size (Diagonal)	30.2" - 302" (0.767 – 7.67m)
Projection Distance	3.28' to 32.8' (1 to 10m)
Projection Lens	F2.5~2.72 , f=17.81~21.35mm
Zoom Ratio	1.2:1 Manual Zoom/Focus Lens
Aspect Ratio	16:10 Native: 16:9, and 4:3 Compatible
Offset	111.3%
Keystone Correction	±40° Vertical
Color Spectrum	1.07 Billion

Horizontal Scan Rate	15, 31 to 91.4KHz		
Vertical Scan Rate	24 ~ 30Hz, 47 ~ 120Hz		
Speaker	10 Watt Mono		
Remote Control	Full Featured IR Remote w/ Laser Pointer		
Projection Method	Table Top or Ceiling Mount (Front or Rear)		
Uniformity	85%		
Computer Compatibility	WUXGA, UXGA, SXGA+, SXGA, XGA, SVGA, VGA Resized; VESA Standards; PC and Macintosh Compatible		
Video Compatibility	SDTV (480i, 576i), EDTV (480p, 576p), HDTV (720p, 1080i/p), NTSC (M, 3.58/4.43 MHz), PAL (B, D, G, H, I, M, N), SECAM (B, D, G, K, K1, L)		
Full 3D Video Compatibility	720p 50/60 Frame Packing, 1080i 50/60 Side-by-Side, 1080p24 Frame Packing, Frame Sequential		
HDMI (X3)	HDMI 1 v1.4/MHL	RS-232c	
	HDMI 2 v1.4	RJ45	
	HDMI 3 v1.4	12V-Out Trigger	
VGA	VGA-In	Audio-In	RCA L/R
	VGA-Out		Mini-Jack
S-Video		Audio-Out (Mini-Jack)	
Composite Video		Microphone-In (Mini-Jack)	
5V Power-Out (USB Type A)		Mini USB (Service Only)	
Security	Kensington® Lock Port		
Weight	6.75lbs (3.06kg)		
Dimensions (W x D x H)	12.4" x 8.5" x 4.9" (314 x 216 x 126mm)		
Noise Level	32dB/36dB (Eco/Normal Mode)		
Power	Supply: AC 100-240V, 50/60Hz Consumption: 310W (Normal Mode), 250W (Eco Mode), <0.5W (Standby Mode)		
Operating Temperature	41 to 104°F (5 to 40°C)		
Warranty	5-Year Limited Parts/Labor, 1year Lamp		
Standard Accessories	AC Power Cord, VGA Cable, Remote Control, Batteries for Remote, User's Manual (CD), Warranty Card		
UPC	813097022486		