



ILLUMIVUE<sup>™</sup> BY MSTR

## 12MP Ultra HD Vandal-Resistant Fisheye Fixed Dome IP Camera

IP12VD360-IR

SKU: 184924    UPC: 81993201419

Introducing the Illumivue IP12VD360-IR 12MP 360 Fisheye IP Camera, a state-of-the-art surveillance solution that offers panoramic coverage and exceptional image quality. With its advanced technology and versatile design, this camera provides comprehensive security for a wide range of applications.

The IP12VD360-IR boasts a 360-degree fisheye lens, allowing for a panoramic view of your surroundings. With its wide-angle coverage, this camera eliminates blind spots, providing you with a complete and immersive surveillance experience. Monitor an entire room, hallway, or outdoor area without the need for multiple cameras, simplifying your surveillance setup.

Designed with a compact and discrete form factor, the IP5VD360-IR seamlessly blends into any environment. Its unobtrusive design makes it ideal for installations where aesthetics are important. Enjoy comprehensive surveillance without compromising the visual appeal of your space.

With advanced motion detection and intelligent alerts, this camera keeps you informed of any suspicious activity in real-time. Receive instant notifications directly to your smartphone or computer, enabling you to take immediate action when necessary. Additionally, the camera supports remote viewing, allowing you to access live or recorded footage from anywhere in the world through a user-friendly mobile app or web browser interface.

The Illumivue IP12VD360-IR 12MP 360 Fisheye IP Camera is a versatile and powerful security solution. With exceptional image quality, panoramic coverage, enhanced night vision capabilities, and intelligent alerts, this camera provides comprehensive surveillance coverage for a wide range of applications. Invest in the IP12VD360-IR today and experience enhanced visual clarity, comprehensive coverage, and peace of mind for your security needs.


### Features

- 12MP 360° Fisheye IP camera
- 1.8mm @ F2.0 Lens
- 360° field of view
- 120dB true WDR technology enables clear image in strong light scene
- Low Light - 0.03 Lux
- 49ft (15m) Smart IR Range
- Ultra 265, H.265, H.264, MJPEG
- Built-in Mic x 2, Supports the detection of sounds over longer distances
- Alarm: 1 in/1 out, Audio: 1 in/1 out
- Supports 256 G Micro SD card
- Support PoE power supply
- Onvif Support (Profile S, Profile G, Profile T)
- IK10 vandal resistant
- IP66 protection
- NDAA-Compliant



# Download the Illumivue App

Access, Set-up, and Manage Illumivue surveillance products through your network via iOS, Android or Windows.



Camera					
Sensor	1/1.7", progressive scan, 12.0 megapixel, CMOS				
Lens	1.8mm@F2.0				
Angle of View	360°				
DORI Distance	Lens (mm)	Detect (m)	Observe (m)	Recognize (m)	Identify (m)
	1.8	43.8	17.5	8.8	4.4
Minimum Illumination	Color: 0.03 Lux (F2.0, AGC ON) 0 Lux with IR				
IR Range	Up to 15m (49ft) IR range				
IR On/Off Control	Auto/Manual				
WDR	DWDR				
Edge Storage	Micro SD, up to 256 GB				
Built-in Mic	Supported 2				
Built-in Speaker	Yes				
Video					
Video Compression	Ultra 265, H.265, H.264, MJPEG				
Video Bit Rate	128 Kbps ~ 16 Mbps				
Image					
Digital Noise Reduction	2D/3D DNR				
Smart Illumination	Supported				

<b>Camera</b>	
<b>Dewarping</b>	N/A
<b>Flip</b>	Normal/Flip Vertical/ Flip Horizontal/180°
<b>General</b>	
<b>Certifications</b>	FCC CFR 47 Part 15 EN 55032:2015 EN 55024:2010 EN 61000-3-2:2014 EN 61000-3-3-2013  IEC 62368-1 EN 62368-1 UL 62368-1
<b>IP Rating</b>	IP66 IK10
<b>Power</b>	DC12V±25%,PoE (IEEE 802.3af)
Dimensions (W × H)	7149 × 55 mm (27.9" × 2.2")
<b>Weight</b>	524g